



Today's World Requires Tomorrow's Technology

The power to integrate—LiNC-NXG is built on an open-architecture platform with an available SDK (Software Development Kit), allowing developers the ability to drive virtually anything access related. Intuitive user interface with standard Windows® style menus and functions allow for an easier learning curve for new users.



LiNC-NXG™

Next Generation Security Software

LiNC-NXG™ is the next generation of security software systems, meeting the requirements and configurations of today and future systems. With its inherent ability to support legacy, current and future PCSC products, LiNC-NXG is the choice for small and large applications alike, from industrial to commercial, to campus and enterprise-level security. For those requiring the highest level of support, LiNC-NXG also provides the ability for remote access management.

Selecting the correct system and architecture is perhaps the most important aspect of security system design. LiNC-NXG provides the world's most flexible security system, utilizing a 100% distributed intelligence network with a fault tolerant architecture. Its open standards system design and software development kit (SDK) enable the communication and software application interfaces to meet your security needs.

LiNC-NXG's communication architecture is industry unique. PCSC offers the industry's only Fault Tolerant (FT) controller technology, which provides greater interoperability. The FT architecture delivers unparalleled reliability and responsiveness for LiNC-NXG and its controller network. Whether you rely on the built in peer-to-peer communication or the robust Ethernet communications, database integrity and security are maintained.

A Feature Rich Application

- Fault Tolerant Architecture
- Legacy Support
- 100% Distributed Intelligence
- Peer-to-Peer Communications
- Password/Level Control Functions
- Password Controlled Data Segregation
- Operator Audit
- Password Controlled Administration
- One Click Bulk Activation or Deactivation by Cardholder Affiliation
- Supervisor Controlled Access
- Visitor Controlled Access
- Long Access/Handicapped Access
- Network Time Protocol (NTP)
- Access Actions by Cardholder or Group
- Photo Trace
- Operator Solicited Open Door
- Two Person Minimum Occupancy Rule (TPMOR)
- Automatic System Shutdown Prior to Battery Failure
- Automatic Door Opening by Time or Supervisor
- Automatic Card Activation and Deactivation by Date and Time
- Automatic User Scheduled Reports
- Automatic Daylight Savings Control
- User Defined Reports
- Intelligent Elevator Control
- Floor Destination Reporting
- 5 State Alarm Monitoring
- Occurred and Logged History Time Stamp (UTC Time Stamp)
- Regional Anti-Passback
- Strict/Lenient and Soft Anti-Passback
- 3 Levels of Entry/Exit
- Network Status with Firmware Verification
- User Selectable Alarm Type (Supervised or Dry Contact)
- Individual Alarm Latching Selection
- User Defined Input/Output Polarity
- Priority Alarm Processing
- Integrated Video Badging
- Integrated Alarm Graphics
- Integrated CCTV
- Supported OS: Windows XP Professional, Vista Business, Utilizing Microsoft SQL Server or Microsoft SQL Express Edition



LiNC-NXG™


Next Generation Security Software

LiNC-NXG utilizes an intuitive Microsoft Windows® style user interface (GUI), making learning the system, second nature. Access, Alarm, Output, Elevator and System Management are accessed via easy to use icons. LiNC-NXG allows opening of more than one application window, providing ease-of-use and a higher level of system flexibility.

An advantage for existing PCSC users is the support for software migration. Any LiNC-NET user can use simple tools to upgrade their database and system parameters to those of the SQL database utilized by LiNC-NXG.

LiNC-NXG furnishes simple security applications, yet has embedded features for high security needs, such as; UPL (User Programmable Logic), Supervisory Control, 5 state Alarm Monitoring, Event Control and Process, TPMOR (Two Person Minimum Occupancy Rule), Escort Management, Cardholder Actions and more. System functionality and integrity of the features are assured even during loss of communications to the controllers due to the inherent advantages of PCSC's 100% Distributed Intelligence or the Fault Tolerant network architecture.

LiNC-NXG is supported by a global network of authorized PCSC Integrators and OEMs to assist you in design, installation and service. For further details, please contact your regional PCSC representative.



Specifications

Standard Capacities

Cardholder	Unlimited
Card Readers	Unlimited
Access Privileges	Unlimited
Holidays	365/year (either full or partial days)
Holiday Selections	10 years
Time Periods	Unlimited
Holidays TP	Unlimited
Inputs	Unlimited
Outputs	Unlimited
Elevator Cabs	Unlimited
Passwords	128
Password Levels	128
Alarm Priorities	99
Card Affiliation Group	Unlimited

Standard Communication Protocol

PoE	Power over Ethernet
Ethernet	LAN/WAN
Multipoint*	RS-485
Serial*	RS-232C
Fiber Optics	RS-232/RS-485
Wireless	802.11
	XBee-PRO™

*via terminal server

Controller Compatibility

